

1. SITE VERIFY ALL DIMENSIONS AND CONDITIONS.

2. ALL WORK TO BE IN ACCORDANCE WITH THE ONTARIO BUILDING CODE.

3. COMPLY WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT REGULATIONS FOR CONSTRUCTION PROJECTS.

4. PROVIDE PROTECTION IN LOCATIONS APPROVED BY THE OWNER AND CONSULTANT SO AS NOT TO DAMAGE EXISTING STRUCTURE, OR PART THEREOF.

5. COMPLETE ALL DEMOLITION WORK NECESSARY TO COMPLETE THE RENOVATIONS AS SHOWN AND AS REQUIRED. DEMOLITION OF BUILDING ELEMENTS INCLUDES BUT NOT LIMITED TO COMPLETE REMOVAL OF ALL ASSOCIATED FIXTURES, FITTINGS, HARDWARE, FASTENERS, EQUIPMENT AND ACCESSORIES UNLESS NOTED OTHERWISE.

6. ARCHITECTURAL, STRUCTURAL, MECHANICAL AND ELECTRICAL DEMOLITION DRAWINGS ARE COMPLEMENTARY AND SHALL BE READ TOGETHER.

7. PROVIDE ALL SHORING AS REQUIRED. SHORING SHALL BE DESIGNED BY A REGISTERED PROFESSIONAL ENGINEER.

8. NOTIFY CONSULTANT OF LOAD BEARING MEMBERS OR ASSEMBLIES IDENTIFIED OR DISCOVERED DURING WORK AND NOT INDICATED ON DRAWINGS. DO NOT PROCEED WITH REMOVALS WITHOUT PRIOR REVIEW BY THE CONSULTANT.

9. PROVIDE TEMPORARY SUPPORT OF PIPES, DUCTS AND ELECTRICAL CHASES AS REQUIRED FOR SAFE REMOVAL. EXISTING AND PROPOSED SUPPORTS ARE TO BE REVIEWED BY THE CONSULTANT PRIOR TO THE REMOVAL OF ANY COMPONENTS WHICH MAY FALL, OR CAUSE OTHERS TO FALL.

10. MAINTAIN ALL WORK AREAS AND ALL STORAGE AREAS CLEAN AND ORDERLY AT ALL TIMES INCLUDING EXISTING AREAS THAT REMAIN IN OPERATION DURING CONSTRUCTION. DUST CONTROL MEASURES ARE TO BE IN PLACE AT ALL TIMES AND NOISY WORK SHALL BE COORDINATED AROUND PROGRAM EVENTS.

11. REMOVAL OF EXISTING FLOOR FINISHES IS TO INCLUDE COMPLETE REMOVAL OF BASE AND ALL MORTAR AND ADHESIVES AND REPARATION OF EXISTING SUBSTRATES TO RECEIVE NEW FLOORING, SATISFACTORY TO THE MANUFACTURER OF NEW FLOOR FINISHES. ALLOW FOR EXCESSIVE LEVELING OF SLABS.

12. DEMOLITION INCLUDES ALL ASSOCIATED MECHANICAL AND ELECTRICAL SERVICES, EQUIPMENT, FITTINGS, FIXTURES, HANGERS, BRACKETS, TRIM AND ACCESSORIES AS REQUIRED TO COMPLETE THE WORK.

13. SAWCUT, BREAK OUT AND MAKE GOOD (MATCH EXISTING U.N.O.) ALL EXISTING FLOOR SLABS WHERE REQUIRED TO INSTALL NEW PLUMBING AND OTHER SERVICES AS INDICATED AND AS REQUIRED ON MECHANICAL AND ELECTRICAL DRAWINGS.

14. MAINTAIN EXISTING FIRE HOSE CABINETS AND FIRE RATINGS.

15. REMOVAL OF DOORS AND FRAMES IS TO INCLUDE REMOVAL OF ALL HARDWARE.

16. REMOVE ALL PROTRUSIONS IN FLOOR SLAB AND GRIND DOWN TO FLOOR LEVEL.

17. CLEAN, PATCH / REPAIR ALL EXISTING SURFACES TO REMAIN TO RECEIVE NEW FINISHES. ALLOW FOR REMOVAL OR SCARIFICATION OF EXISTING PAINT FINISH ON WALLS THAT ARE TO RECEIVE NEW WALL TILE FINISH. REMOVE ALL MORTAR, ADHESIVES AND RUST AS REQUIRED TO PREPARE EXISTING SUBSTRATES TO RECEIVE NEW PAINT FINISHES.

18. DISCONNECT AND CAP OFF ALL SERVICES PRIOR TO DEMOLITION.

19. DISPOSE OF MATERIALS OFF SITE.

20. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE EXISTING STRUCTURE OR FINISHES SHOWN TO REMAIN AND REPAIR / REPLACE SAME TO THE SATISFACTION OF THE OWNER AND CONSULTANT.

21. BUILDING TO BE SECURED BY THE G.C. AT ALL TIMES.

22. REFER TO HAZARDOUS BUILDING MATERIALS ASSESSMENT, FILE # 13092 Port Perry HS, 20230201, limited DSUB Report DATED FEBRUARY 02, 2023, PREPARED BY PARASOL. HAZARDOUS REMOVALS SHALL COMPLY WITH CURRENT LEGISLATION.

DEMOLITION LEGEND

EXISTING WALL, PARTITION OR COLUMN

DENOTES DEMOLITION OF BUILDING ELEMENT

EXISTING DOOR, FRAME AND TRIM TO REMAIN

EXISTING DOOR, FRAME AND TRIM TO BE CAREFULLY REMOVED AND DISPOSED OF.

NEW DOOR, FRAME AND TRIM TO BE INSTALLED.

DEMOLITION NOTES

1 REMOVE AND DISPOSE OF EXISTING DOOR & FRAME. PATCH, REPAIR AND MAKE GOOD AFFECTED SURFACES.

2 REMOVE AND DISPOSE OF EXISTING CONCRETE BLOCK WALL (AT EXTENT SHOWN) IN IT'S ENTIRETY. PATCH, REPAIR AND MAKE GOOD AFFECTED SURFACES AS REQUIRED FOR NEW WORK. (SHORE STRUCTURE AS REQUIRED)

3 REMOVE AND DISPOSE OF EXISTING ACOUSTIC CEILING INCLUDING ALL GRIDS, LIGHTING, DIFFUSERS, GRILLES AND ELECTRICAL DEVICES. PATCH, REPAIR AND MAKE GOOD ALL AFFECTED SURFACES

4 REMOVE EXISTING URINALS AND WATER CLOSETS. CAP EXISTING SERVICES AS REQUIRED FOR NEW SCOPE.

5 REMOVE AND DISPOSE OF EXISTING GANG SINKS. REMOVE EXISTING SERVICES AS REQUIRED FOR NEW SCOPE. REFER TO MECHANICAL. PATCH ALL HOLES IN THE FLOOR AS REQUIRED TO COMPLETE NEW WORK.

6 REMOVE AND DISPOSE OF EXISTING TOILET PARTITIONS.

7 REMOVE AND DISPOSE OF EXISTING GYPSUM CEILING INCLUDING, LIGHTING, DIFFUSERS, GRILLES AND ELECTRICAL DEVICES. PATCH, REPAIR AND MAKE GOOD ALL AFFECTED SURFACES.

8 REMOVE ALL EXISTING SERVING FROM SHAFT AND RELOCATE. SEE MECHANICAL AND ELECTRICAL.

9 REMOVE AND DISPOSE OF EXISTING VINYL COMPOSITE TILE AND RUBBER BASE. BREAK OUT TOP OF EXISTING CONCRETE SLAB TO ALLOW FOR INSTALLATION OF TERRAZZO TO MATCH ADJACENT TERRAZZO. PATCH REPAIR AND MAKE GOOD ALL AFFECTED SURFACES

10 REMOVE AND DISPOSE OF EXISTING TERRAZZO BASE INCLUDING ALL ADHESIVES AT EXTENT SHOWN. PATCH REPAIR AND MAKE GOOD ALL AFFECTED SURFACES.

PARTITION TYPE SCHEDULE

P1

16mm GYPSUM BOARD
19mm PLYWOOD
92mm METAL STUDS @ 400 O.C.
SOUND INSULATION BATTS
19mm PLYWOOD
16mm GYPSUM BOARD
WALL TO TERMINATE AT UNDERSIDE OF DECK

P2

140mm CONCRETE BLOCK
WALL TO TERMINATE AT UNDERSIDE OF DECK

F1

16mm GYPSUM BOARD
19mm PLYWOOD
92mm METAL STUDS @ 400 O.C.
WALL TO TERMINATE AT UNDERSIDE OF DECK

F2

16mm GYPSUM BOARD
FURRING CHANNELS @ 400 O.C.
WALL TO TERMINATE AT UNDERSIDE OF DECK

FURRING TYPE SCHEDULE

F1

16mm GYPSUM BOARD
19mm PLYWOOD
92mm METAL STUDS @ 400 O.C.
WALL TO TERMINATE AT UNDERSIDE OF DECK

F2

16mm GYPSUM BOARD
FURRING CHANNELS @ 400 O.C.
WALL TO TERMINATE AT UNDERSIDE OF DECK

FLOOR PLAN NOTATION LEGEND

CORRIDOR

CA

W1

B

BM

FB

BL

11

A101

D

12

A101

A

B

F.R.R.

FD

FIN 2

FIN 1

IDENTIFIES LOCATION OF ALL NEW TERRAZZO ±

IDENTIFIES EXISTING CORRIDOR TERRAZZO EXTENTS OF REPAIRS ±

EXISTING EXHAUST GRILL

EXISTING SUSPENDED LIGHT FIXTURE REFER TO ELECTRICAL

EXISTING EMERGENCY LIGHT REFER TO ELECTRICAL

POT LIGHT. REFER TO ELECTRICAL

EXHAUST GRILL. REFER TO MECHANICAL

SUSPENDED LIGHT FIXTURE. REFER TO ELECTRICAL

EMERGENCY LIGHT. REFER TO ELECTRICAL

OCCUPANCY SENSOR. REFER TO ELECTRICAL

DIMMING CONTROLLER. REFER TO ELECTRICAL

SMOKE DETECTOR. REFER TO ELECTRICAL

16MM NEW SUSPENDED MOISTURE RESISTANT GYPSUM BOARD CEILING

ACOUSTIC CEILING TILE

ROOM NAME & NUMBER

INTERIOR PARTITION OR FURRING TYPE

EMERGENCY CALL BUTTON

PUSH BUTTON OPERATOR

PUSH TO LOCK

WALL SECTION REFERENCE

INTERIOR ELEVATION REFERENCE NUMBER

FIRE RESISTANCE RATING

FLOOR DRAIN

FLOOR FINISH TYPE (SEE ALSO ROOM FINISH SCHEDULE)

4 PART FIRST FLOOR REFLECTED CEILING PLAN
1:50

3 PART SECOND FLOOR PLAN
1:50

2 PART SECOND FLOOR REFLECTED CEILING PLAN
1:50

1 PART SECOND FLOOR DEMOLITION PLAN
1:50

DO NOT SCALE THE DRAWINGS.
CHECK AND VERIFY ALL DIMENSIONS AT THE SITE.
ALL DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTS ARE THE COPYRIGHT PROPERTY OF THE CONSULTANT AND MUST BE RETURNED UPON REQUEST. REPRODUCTION OF DRAWINGS IN PART OR WHOLE WITHOUT THE PERMISSION OF THE CONSULTANT IS FORBIDDEN.
DRAWINGS ARE NOT TO BE USED FOR CONSTRUCTION UNTIL SIGNED AND SEALED BY THE CONSULTANT.

DDSB

Ignite Learning

NO.	ISSUES	DATE	BY
1	ISSUED FOR 30% REVIEW	AUG. 01 2023	BBA
2	REISSUED FOR 30% REVIEW	DEC. 01 2023	BBA
3	ISSUED FOR 75% REVIEW	JAN. 12 2024	BBA
4	ISSUED FOR PERMIT AND TENDER	FEB. 01 2024	BBA

NO.	REVISIONS	DATE	BY
1	ISSUED FOR ADDENDUM	FEB. 13 2024	BBA

NORTH

PROJECT:

WASHROOM RENOVATION

PORT PERRY HIGH SCHOOL

160 ROSA STREET
PORT PERRY, ON, L9L 1L7
DURHAM DISTRICT SCHOOL BOARD

DRAWING:

PART DEMOLITION AND PART PLANS

BBA

BARRY BRYAN ASSOCIATES

Architects
Engineers
Project Managers

250 Water Street
Suite 201
Whitby, Ontario
L1N 0G5
Tel: (905) 666-6252
Fax: (905) 666-6256
e-mail: bba@bba-archeng.com

DESIGN BY:
BBA

DRAWN BY:
JM

CHECKED BY:

DATE:
SEPTEMBER 2023

SCALE:
AS NOTED

FILE:

DOC CONTROL:
DATE:

% COMPLETE:


INITIAL:

PROJECT NO:


23091

DRAWING NO:

A201



2 PART SECOND FLOOR PLAN
A202 1:20



1 PART SECOND FLOOR ACCESSIBILITY CLEARANCE PLAN
A202 1:20


DO NOT SCALE THE DRAWINGS.
CHECK AND VERIFY ALL DIMENSIONS AT THE SITE.
ALL DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTS ARE THE
COPYRIGHT PROPERTY OF THE CONSULTANT AND MUST BE RETURNED
UPON REQUEST. REPRODUCTION OF DRAWINGS IN PART OR WHOLE
WITHOUT THE PERMISSION OF THE CONSULTANT IS FORBIDDEN.
DRAWINGS ARE NOT TO BE USED FOR CONSTRUCTION UNTIL SIGNED
AND SEALED BY THE CONSULTANT.



NO.	ISSUES	DATE	BY
1	ISSUED FOR 30% REVIEW	AUG. 01 2023	BBA
2	REISSUED FOR 30% REVIEW	DEC. 01 2023	BBA
3	ISSUED FOR 75% REVIEW	JAN. 12 2024	BBA
4	ISSUED FOR PERMIT AND TENDER	FEB. 01 2024	BBA


1	ISSUED FOR ADDENDUM	FEB. 13 2024	BBA
---	---------------------	--------------	-----

NO.	REVISIONS	DATE	BY
-----	-----------	------	----



PROJECT:
WASHROOM RENOVATION
PORT PERRY HIGH SCHOOL
160 ROSA STREET
PORT PERRY, ON, L9L 1L7
DURHAM DISTRICT SCHOOL BOARD

DRAWING:
ENLARGED PLANS



BARRY BRYAN ASSOCIATES

Architects
Engineers
Project Managers


250 Water Street
Suite 201
Whitby, Ontario
L1N 0G5
Tel: (905) 666-5252
Fax: (905) 666-5256
e-mail: bba@bba-archeng.com

DESIGN BY: BBA	DOC. CONTROL: DATE:
DRAWN BY: JM	% COMPLETE:
CHECKED BY:	INITIAL:


DATE:
SEPTEMBER 2023
SCALE:
AS NOTED
FILE:

PROJECT NO:
23091

DRAWING NO:
A202



DETAIL H1



DETAIL J1

ABBREVIATION LEGEND	GENERAL NOTES	M DOOR TYPES	F1 FRAME TYPES
ACT CT EX GWB HM PT PS TERR CB EMR	ACOUSTIC CEILING TILE CERAMIC TILE EXISTING GYPSUM BOARD HOLLOW METAL PAINT PRESSED STEEL TERRAZZO CONCRETE BLOCK EMERGENCY RESPONSE BUTTON EMERGENCY RESPONSE BUTTON ROUGH IN ONLY		
1. PREPARE DOORS AND FRAMES FOR ELECTRONIC HARDWARE WHERE INDICATED. CONDUITS SHALL BE CONCEALED IN FRAMES. 2. CONTRACTOR TO SITE VERIFY ALL DOOR SIZES PRIOR TO ORDERING.			


SECOND FLOOR	DOOR AND FRAME SCHEDULE																								REFER TO SPECIFICATIONS FOR DETAILS																																																																																																																																																																																																																																																																																																																																																																																													
	DOOR										FRAME										DOOR HARDWARE										REMARKS																																																																																																																																																																																																																																																																																																																																																																																							
	ROOM NAME	NO.	SIZE AND THICKNESS	TYPE	MATERIAL	FINISH	GLASS	TYPE	DETAIL		MATERIAL	FINISH	FIRE RATING																																																																																																																																																																																																																																																																																																																																																																																																									
									HEAD	JAMB				DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP		DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP	DOOR STOP</

SECOND FLOOR


ROOM SCHEDULE												
ROOM			FLOOR	BASE	WALLS				CEILING	CEILING HEIGHT	REV.	REMARKS
NO.	ROOM NAME				NORTH	EAST	SOUTH	WEST				
200	CORRIDOR	MAT. CONC	-	-	CB	-	-	ACT	2705	-	-	TERRAZZO PATCH AND REPAIR IS TO BE FROM GRID LINE TO GRID. TERRAZZO BASE TO MATCH EXISTING TERRAZZO BASE
		FIN. EX.TERR	EX.TERR	-	PT	-	-	-	-	-	-	
		COL. EX.TERR	EX.TERR	-	PT1	-	-	-	-	-	-	
229	WASHROOM LOBBY	MAT. CONC	-	GWB	-	GWB	GWB	ACT	2705	-	-	TERRAZZO PATCH AND REPAIR IS TO BE FROM GRID LINE TO GRID. AREA INCLUDES AREA OF ALL NEW TERRAZZO. REFER TO PLANS. CT2 TO BE BULLNOSE. REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. EX.TERR	CT	PT	-	PT	PT	-	-	-	-	
		COL. TERR	CT2	PT1	-	PT1	PT1	-	-	-	-	
229A	WASHROOM	MAT. CONC	-	GWB	CB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229B	WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229C	WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229D	BARRIER-FREE WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229E	WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229F	WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229G	BARRIER-FREE WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229H	WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229J	WASHROOM	MAT. CONC	-	GWB	GWB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	
229K	WASHROOM	MAT. CONC	-	GWB	CB	GWB	GWB	GWB	2705	-	-	REFER TO ELEVATIONS FOR WALL TILE PATTERN CT1, CT3, CT4, CT5
		FIN. TERR	-	CT/PT	CT/PT	CT/PT	CT/PT	PT	-	-	-	
		COL. TERR	-	CT/PT2	CT/PT2	CT/PT2	CT/PT2	PT2	-	-	-	

BARRIER FREE MOUNTING HEIGHT REQUIREMENTS


- GRAB BARS SHALL BE MIN. 30mm ϕ , 40mm ϕ MAX.
- CLEARANCE FOR GRAB BARS TO BE MIN. 38mm, 50mm MAX.
- GRAB BARS TO HAVE SLIP RESISTANT SURFACE.
- INSTALL GRAB BARS TO SUPPORT LOADING REQUIRED BY THE ONTARIO BUILDING CODE.
- LOCATE COAT HOOK ON SIDEWALL OF TOILET STALL DOOR AT 1200mm MAX. ABOVE FINISHED FLOOR AND PROJECTING NOT MORE THAN 50mm.
- ALL FIXTURES SHALL CONFORM TO BARRIER-FREE HEIGHTS OUTLINED IN THE LATEST EDITION OF THE ONTARIO BUILDING CODE.
- ALL ACCESSORIES SHALL BE INSTALLED IN ACCORDANCE WITH THE LATEST EDITION OF THE ONTARIO BUILDING CODE.
- INSTALL DOOR OPERATOR, PUSH BUTTONS AND PUSH TO LOCK DEVICE IN ACCORDANCE WITH THE REQUIREMENTS OF THE LATEST EDITION OF THE ONTARIO BUILDING CODE.
- INSTALL EMERGENCY CALL SYSTEM IN ACCORDANCE WITH THE LATEST EDITION OF THE ONTARIO BUILDING CODE.



BARRIER FREE LAVATORY



BARRIER FREE TOILET (WALL MOUNTED)



BARRIER FREE TOILET

2 A701 BARRIER FREE MOUNTING HEIGHT REQUIREMENTS 1:20

WASHROOM ACCESSORIES MOUNTING HEIGHTS

SIGNAGE

SIGNAGE TO BE SUPPLIED BY DDSB AND INSTALLED BY CONTRACTOR. LOCATION TO BE COORDINATED WITH DDSB. (10 SIGNS FOR WASHROOMS, 1 FLAG FOR CORRIDOR)

5 A701 ACCESSORIES & SIGNAGE MOUNT HEIGHTS 1:50

Elevations A, C, D, B showing wall tile patterns and mounting heights. A: PT GWB, U/S GWB +2705, T/O STEEL +3720. C: PT GWB, U/S GWB +2705, T/O STEEL +3720. D: PT GWB, U/S GWB +2705, T/O STEEL +3720. B: PT GWB, U/S GWB +2705, T/O STEEL +3720. FIN. FL. +0.00.

4 A701 ELEVATIONS 1:50

Elevations B, A, C, D showing wall tile patterns and mounting heights. B: PT GWB, U/S GWB +2705, T/O STEEL +3720. A: PT GWB, U/S GWB +2705, T/O STEEL +3720. C: PT GWB, U/S GWB +2705, T/O STEEL +3720. D: PT GWB, U/S GWB +2705, T/O STEEL +3720. FIN. FL. +0.00.

3 A701 ELEVATIONS 1:50

Elevations A, C, D, B showing wall tile patterns and mounting heights. A: PT GWB, U/S GWB +2705, T/O STEEL +3720. C: PT GWB, U/S GWB +2705, T/O STEEL +3720. D: PT GWB, U/S GWB +2705, T/O STEEL +3720. B: PT GWB, U/S GWB +2705, T/O STEEL +3720. FIN. FL. +0.00.

NOTE: REFER TO BARRIER FREE MOUNTING REQUIREMENTS ON 2/A701 AND 5/701. REFER TO 5/A401 FOR WALL TILE TO TERRAZZO TRANSITION

1 A701 ELEVATIONS BARRIER-FREE WASHROOM 229C & 229F 1:50

DO NOT SCALE THE DRAWINGS.
CHECK AND VERIFY ALL DIMENSIONS AT THE SITE.
ALL DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTS ARE THE COPYRIGHT PROPERTY OF THE CONSULTANT AND MUST BE RETURNED UPON REQUEST. REPRODUCTION OF DRAWINGS IN PART OR WHOLE WITHOUT THE PERMISSION OF THE CONSULTANT IS FORBIDDEN.
DRAWINGS ARE NOT TO BE USED FOR CONSTRUCTION UNTIL SIGNED AND SEALED BY THE CONSULTANT.

DDSB
Ignite Learning

NO.	ISSUES	DATE	BY
1	ISSUED FOR 30% REVIEW	AUG. 01 2023	BBA
2	REISSUED FOR 30% REVIEW	DEC. 01 2023	BBA
3	ISSUED FOR 75% REVIEW	JAN. 12 2024	BBA
4	ISSUED FOR PERMIT AND TENDER	FEB. 01 2024	BBA

NO.	REVISIONS	DATE	BY
1	ISSUED FOR ADDENDUM	FEB. 13 2024	BBA

PROJECT:
WASHROOM RENOVATION
PORT PERRY HIGH SCHOOL
160 ROSA STREET
PORT PERRY, ON, L9L 1L7
DURHAM DISTRICT SCHOOL BOARD

DRAWING:
ELEVATIONS & SCHEDULES

BBA
BARRY BRYAN ASSOCIATES
Architects
Engineers
Project Managers
250 Water Street
Suite 201
Whitby, Ontario
L1N 0G5
Tel: (905) 666-6252
Fax: (905) 666-6256
e-mail: bba@bba-archeng.com

DESIGN BY: BBA	DOC. CONTROL: DATE:
DRAWN BY: JM	% COMPLETE:
CHECKED BY:	INITIAL:

DATE:
SEPTEMBER 2023
SCALE:
AS NOTED
FILE:

PROJECT NO:
23091
DRAWING NO:
A701